SAILBOAT BLOCKS



Nautos-usa maintains an extensive stock in the USA (more than 400 items) including blocks, furlers, rigid boom vangs, Code 0 furler, Jib furlers, winches, batten car system for mainsail, cam cleats, tracks, genoa cars, traveler systems and more. We ship in 24hs guaranteed, please navigate our web site and search at wide variety of available items. If you need further assistance, contact us at info@nautos-usa.com.

NAUTOS-USA

We at Nautos-usa are the US distributors for Nautos Industria Metalurgica Ltda, a producer of hardware and accessories for sailboats estabilished in April 1976 in Rio Grande do Sul, Brazil.

As active sailors that for many years have been both cruising and racing sailboats we were constant searching for quality hardware products at competitive prices. Knowing that the company already had successful European and South American markets we decided to start the distribution in the US to provide the American sailors the opportunity to access their products.

Nautos-usa in conjunction with Nautos Industria Metalurgica Ltda has the goal of offering a reliable products which can meet the demands and expectation of its customers. The company offers a products mix of over 1,500 items applicable from school boats to mega yachts.

95085 XR1 QUADRUPLE CLUTCH



Standard clutches can be tough to let off, especially under load. However, Holt Nautos has overcome this problem. Their patented Xtreme Release hinged two-piece lever allows you to easily release the clutch, even under high loads. Having flipped up the handle from its secure clip, you then have maximum leverage to free the rope. This makes the clutches ideal both for serious racers and for family cruisers - whether you are looking for the ability to blow a spinnaker halyard fast, or just trouble-free sailing with an inexperienced crew, the XR range fits the bill. Furthermore, each clutch prevents accidental release with its snap-shut lip - a superb safety feature for all sailing environments.

24/29FT BOAT LENGTH



The nautos furling is built simply and sturdily and is characterized by the following: open bearings, synthetic material, torque tube with small diameter do not cause an inconvenience for the lower part of the sail. Two part spool and drum. Furnished with turnbuckle. Complete ready to install by yourself.

We recomend this furler for boats in between 24 to 29 ft but also you can match the sail area.

Maximum sail area for this unit is 30 sqm or 330 sqf.

Headstay wire is 6 mm(standard, can be other size) include 13.8 mts (46 ft) headfoil

FOR MORE INFORMATION PLEASE VISIT US <u>HTTP://www.nautos-usa.com</u>